

Whitehill Junior School



Allergy and Anaphylaxis Policy

(To be read in conjunction with the
School's Supporting Pupils with Medical Conditions Policy)

Date for Review: February 2027

Mrs Emma Dorrell **Chair of Governors**

Dated

Mr Steve Mills **Headteacher**

Dated

The named staff members responsible for coordinating staff anaphylaxis training and the upkeep of the school's policy are:

- Mr Steve Mills – Headteacher
- Mrs Antonia McConnell Smith – Assistant Headteacher – Inclusion

This policy is based on the model policy produced by [Anaphylaxis UK](#), through whom we complete our annual training.

Contents

1. Introduction
2. Roles and responsibilities
3. Allergy action plans
4. Emergency treatment and management of anaphylaxis
5. Supply, storage and care of medication
6. 'Spare' adrenaline auto-injectors in school
7. Staff training
8. Inclusion and safeguarding
9. Catering
10. School trips
11. Allergy awareness and nut bans
12. Risk assessment
13. Useful links

1. Introduction

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include foods, insect stings, and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure. Anaphylaxis symptoms are often referred to as the ABC symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK allergens include (but are not limited to):

Peanuts, tree nuts, sesame, milk, egg, fish, latex, insect venom, pollen and animal dander.

This policy sets out how Whitehill Junior School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Roles and Responsibilities

Parent Responsibilities

- On entry to the school, it is the parent's responsibility to inform the school of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional. e.g. School nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities

- All staff will complete anaphylaxis training on an annual basis and when necessary. on an ad-hoc basis for any new members of staff.
- Staff must be aware of the pupils in their care who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.

- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication may not be able to attend the excursion.
- The Headteacher will produce an Individual Healthcare Plan (using the HCC model document) based on the child's Allergy Action Plan and will ensure that this up-to-date Individual Healthcare Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the School will check medication kept at school on an annual basis and send a reminder to parents if medication is approaching expiry.
- The School will record on Arbor all pupils who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAI(s) and emergency treatment given.
- The Headteacher will ensure that any reaction or near misses are recorded and reported internally or in accordance with RIDDOR.

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Pupils who are trained and confident to administer their own AAIs will be encouraged to take responsibility for carrying them on their person at all times.

3. Allergy Action Plans

Allergy action plans are designed to function as individual healthcare plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto-injector.

The school will also produce an individual healthcare plan based on the local authority model which are reviewed annually by the school and the parents and kept with the child's AAI.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting.

More serious symptoms are often referred to as the **ABC** symptoms and can include:

- **AIRWAY** - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING** - sudden onset wheezing, breathing difficulty, noisy breathing.
- **CIRCULATION** - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more severe reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment, and it starts to work within seconds.

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the child where they are, call for help and do not leave them unattended.
- **LIE CHILD FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY** and note the time given. AAI should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- **CALL 999** and state **ANAPHYLAXIS (ana-fil-axis)**.
- If no improvement after 5 minutes, administer second AAI.
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the child where they are. **Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.**

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can re-occur after treatment.

5. Supply, Storage and Care of Medication

Depending on their level of understanding and competence, pupils will be encouraged to take

responsibility for and to carry their own **two** AAls on them at all times in a suitable bag/container.

For younger children or those not ready to take responsibility for their own medication, there should be an anaphylaxis kit which is kept within 5 minutes of them, not locked away and **accessible to all staff**. At Whitehill this is in the main medical room in a drawer marked with the child's details.

Medication should be stored in a suitable container and clearly labelled with the pupil's name. The pupil's medication storage container should contain:

- Two AAls i.e. EpiPen® or Jext®
- An up-to-date Individual Healthcare Plan / Allergy Action Plan
- Antihistamine as tablets or syrup (if included on allergy action plan)
- Spoon if required
- Asthma inhaler (if included on allergy action plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the School will check medication kept at school on an annual basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant AAls their child is prescribed, to make sure they can get replacement devices in good time.

Older children and medication

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin.

6. Spare Adrenaline Auto-Injectors (AAls) in School

Whitehill Junior School has purchased spare AAls for emergency use in children who are at risk of anaphylaxis, but where their own devices are not available or not working or are experiencing anaphylaxis for the first time.

These are stored in the main first aid room in a box labelled **Emergency Jext Pen and Asthma Inhaler Kit**.

7. Staff Training

The named staff members responsible for coordinating staff anaphylaxis training and the monitoring of this policy are:

- Mr Steve Mills – Headteacher
- Mrs Antonia McConnell Smith – Assistant Headteacher – Inclusion

All staff will complete the AllergyWise allergy and anaphylaxis training (provided via Anaphylaxis UK) annually and on an ad-hoc basis during the induction of new staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAIs) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance, knowing who is responsible for what
- Managing allergy action plans and ensuring these are up to date

Whitehill Junior School is also able to ensure that staff undertake a practical session using training devices.

8. Inclusion and Safeguarding

Whitehill Junior School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school's menu provided via Herts Catering Limited is available for parents to view in advance with ingredients listed and allergens highlighted on their website. A link to HCL's website is also available via the relevant section on the [school website](#).

Parents are responsible for liaising with Herts Catering Limited in relation to a child with specific dietary requirements and food allergies.

The school adheres to the following Department of Health recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- If food is purchased from the school kitchen, parents should check the appropriateness of foods by speaking directly to the catering manager.
- The pupil should be taught to also check with catering staff, before selecting their lunch choice.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For

further information, parents/carers are encouraged to liaise with the Catering Manager.

- Food should not be given to primary school-age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats).
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

10. School Trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

11. Allergy Awareness and Nut Bans

Whitehill Junior School supports the approach advocated by Anaphylaxis UK towards nut bans / nut free schools.

Anaphylaxis charities would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, pupils and all other staff are aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

In spite of this, at our school we will regularly remind pupils and parents they are not permitted to bring in any products that contain nuts.

12. Risk Assessment

Some pupils may require a individual risk assessment, in consultation with the parents, in addition to their IHCP.

School and individual risk assessments can be downloaded via the [Anaphylaxis UK website](#).

13. Useful Links

Anaphylaxis UK - <https://www.anaphylaxis.org.uk/>

- Safer Schools Programme - <https://www.anaphylaxis.org.uk/education/safer-schools-programme/>
- AllergyWise for Schools online training - <https://www.allergywise.org.uk/p/allergywise-for-schools1>

Allergy UK - <https://www.allergyuk.org>

BSACI Allergy Action Plans - <https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Department for Education Supporting pupils at school with medical conditions - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

Department of Health Guidance on the use of adrenaline auto-injectors in schools - [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline auto injectors in schools.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf)

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) <https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>